


NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETRES.
- WELDLOCK GRATE SHOWN OR APPROVED EQUIVALENT TO BE USED. GRATE AND FRAME TO BE HOT DIP GALVANISED 80-85 MICRONS THICK. ALL GRATES TO BE PROVIDED WITH HINGE PINS & LOCKING BOLTS.
- PROVIDE STEP IRONS FOR PITS DEEPER THAN 1.2m.
- 4. MINIMUM THICKNESS OF WALLS AND BASE TO BE 150mm
- ALL PITS TO HAVE A MINIMUM OF SL82 MESH IN BASE AND N12 "L" STARTER BARS (450 LEGS) @400 CTRS.
- PITS BETWEEN 1.5m & 2.5m DEEP TO HAVE SL82 MESH CENTRALLY PLACED IN WALLS FOR FULL DEPTH WITH N12 "L" CORNER BARS (450 LEGS) @400 CTRS.
- PITS DEEPER THAN 2.5m OR LONGER THAN 900 OR 1450 WIDE SHALL BE DESIGNED BY A QUALIFIED ENGINEER.
- PITS POURED IN MULTIPLE HEIGHT SECTIONS SHALL INCLUDE SL82 MESH OR N12 STARTER BARS (400 LONG) @300 CTRS.

 COMPRESSIVE STRENGTH (FC) FOR CAST INSITU CONCRETE SHALL BE A
- MINIMUM 25 MPa @ 28 DAYS.

 10. NO RENDERING PERMITTED IN STRUCTURAL COMPONENTS.
- 11. ALL PITS TO BE ADEQUATELY STREAMLINED AND BENCHED
- 12. $100\emptyset$ SOCKED SUBSOIL DRAINAGE PIPE 3m LONG TO BE PROVIDED ADJACENT TO INLET PIPES.
- 13. WHERE NOMINATED BY THE ENGINEER PROVIDE MINIMUM 2 WHITE REFLECTORISED GUIDE POSTS EITHER SIDE OF PIT.
- 14. PITS TO BE LOCATED OUTSIDE CLEAR ZONE (REFER RTA GUIDELINES) UNLESS DIRECTED OTHERWISE.



ERSION

COMMENTS

19/10/11 DATE

ORIGINAL ISSUE

EQUIVALENT OF, OR SUBSTITUTE FOR, PROJECT-SPECIFIC

DESIGN & ASSESSMENT BY A QUALIFIED PROFESSIONAL

Lake Macquarie

SHEET

1 유 1

DRAWING No.

EGSD-403

VERSION

9

www lakemac.com.au

126-138 MAIN ROAD SPEERS POINT PHONE (02)4921 0333

OR "JUNCTION" PIT

RAISED GRATED "LETTERBOX"

DRAWING TITLE

RELY ON THESE STANDARD DRAWINGS AS THE

WORK TO FIGURED DIMENSIONS - DO NOT SCALE. DO NOT